Exterior collection

EQUILUX

Elstead
LIGHTING

QUALITY LIGHTING MANUFACTURERS

MILL LANE, ALTON, HAMPSHIRE, GU34 2QG
TEL: 01420 82377 FAX: 01420 89261

Elstead LIGHTING

QUALITY LIGHTING MANUFACTURERS

MILL LANE, ALTON, HAMPSHIRE, GU34 2QG
TEL: 01420 82377 FAX: 01420 89261

r collection

EQUILUX

Exterior

EQUILUX

In the enclosed pages, 'Equilux' have compiled what we believe to be the most comprehensive range of exterior light fittings currently available in the U.K.

All models are manufactured and designed to the highest standards to provide the end user with a product they can rely upon to provide many years of service.

Exterior lighting is a fascinating area for design. The effects of well planned exterior lighting can enhance the fruits of your labour in the garden or provide a unique view of your property.

A well placed pedestal lantern can bring alive a path, pond or special feature. Lamp-posts are most attractive in the daytime, while the illumination at night will totally transform a lawn, rockery or driveway.

Inground uplighters can wash light upwards into a tree to dramatic effect. The possibilities with exterior lighting are endless and only limited to your imagination.

Our target is to supply all models within 48 hours, (excluding specials), with non-stocked lines being supplied within three weeks.

Should you require any additional information please contact the sales office who will assist with your enquiry or arrange for a sales representative to contact you.

We are also the exclusive U.K. distributors for the Roger Pradier premium exterior collection of traditional and contemporary lanterns. Please contact the sales office for a copy of the latest catalogue.

NORLYS

Equilux are proud to introduce the Norlys range of quality exterior lighting.

This exceptional range, manufactured in Norway, has been gracing many buildings in Norway and throughout Scandinavia for the past seventeen years.

Available in a comprehensive range of suites, and in five colours, Norlys will have the lantern for the most discerning of customers. All lanterns are manufactured from high grade die cast aluminium, chromium treated and are polymer coated to allow us to offer you an industry-leading **twenty five year guarantee** against corrosion.

From the traditional Valencia to the contemporary Firenze, all are guaranteed to enhance your home or garden and will add to your sense of well being and security as only light can.

Standard Collection

This collection has been compiled to provide the cost - conscious exterior lighting user with an excellent range of lanterns. All are manufactured using die-cast aluminium enabling EQUILUX to offer a five year guarantee against corrosion. To keep prices to a minimum we are supplying them only in the colours illustrated.

Contemporary Collection

This collection is distributed exclusively in the U.K. by EQUILUX in partnership with ARES illuminacion of Italy.

The entire range is manufactured to the highest standards using top-grade die-cast aluminium to provide a comprehensive range of contemporary exterior lighting. Most are supplied to accommodate low energy compact fluorescent sources to allow exceptionally low running costs.

All models are designed to compliment the exterior facade of any commercial or domestic building. A range of standard colour options are available with any RAL colour available as a cost option. (please contact the sales office for details).

The Contemporary collection will enhance and effectively illuminate any environment.

Stainless Steel

This small range has been included to add a new dimension to the Equilux range. Thoroughly modern in design and constructed using stainless steel. These models will, quite literally, compliment their environment for a lifetime.

EQUILUX

Twenty Five 25 Year Guaranteed

Norlys

The Valencia offers a blend of traditional, elegant styling with fine attention to detail and quality. Manufactured from die-cast aluminium, these lanterns are supplied with clear polycarbonate lens and are available in Black, White, Black/Gold, Green/Gold and Verdi-Gris.

EQUILUX
Presents
NORLYS

Valencia V7
Triple head
lamp-post

Also avaliable
as a twin head



Valencia V5
Single head
lamp-post
Black/Gold

Valencia V2
White



Valencia V3
Pedastal

Valencia V1
Black

Valencia V4
Pillar















Norlys

The Valencia Grande offers the same blend of values as it's smaller variant. Available in all five colours, it offers a distinctive lantern for the larger domestic or commercial premises.

EQUILUX Presents NORLYS

Valencia Grande
VG2
Black/Gold

Valencia Grande
VG5
Single Lamp-post
Black/Gold

Valencia Grande
VG6
Twin Lamp-post
Black/Gold

Also available in Triple light version

Valencia Grande
VG1
Black/Gold













Norlys

The Bologna is an elegant and stylish range offering a blend of Contemporary styling with traditional overtones. Manufactured from die-cast aluminium and available in the full range of colours lanterns are supplied with Opal polycarbonate lenses as standard. Smoked lenses are available to special order.

EQUILUX Presents NORLYS

Bologna B2
Verdi

Bologna B1
White

Bologna Pedestal B3
Black/Gold

Bologna B7
Triple Head
Lamp-post
Black



Bologna B6
Twin Head Lamp-post
Verdi



Bologna
Pillar B4
Black

All Models are also available with a smoked globe as an option.

Add (CL) to the code.













Norlys

The Firenze brings an entirely contemporary styling to it's surroundings. Manufactured from die-cast aluminium with a one-piece polycarbonate lens, this range offers a unique lantern to enhance any property. Available in Black, White, Black/Gold, Green/Gold and Verdi-Gris.

EQUILUX Presents NORLYS

Firenze F2
Black

Firenze F2
White

Firenze F7
Triple Head
Lamp-post
Black/Gold

also available as
a Twin head
version



Firenze F5
Single Head Lamp-post
White









Norlys

The Como offers a lantern with a unique style. Manufactured from die-cast aluminium and available in all five colour options it's distinctive appearance will add character to any property.

EQUILUX Presents NORLYS



Como C1
Verdi



Como C6
Twin head
Lamp-post
Verdi/Gris

Como C7
Triple head
lamp-post
Black







Norlys

The Malaga flush mounted wall lantern has been created to fulfil the need for a larger more distinctive flush lantern whilst retaining it's attractive understated appearance. Supplied with a polished reflector and clear polycarbonate lens, the Malaga will continue to look good for many years. Available in Black, White, Black/Gold, Green/Gold and Verdi-Gris. Opal lens is available to special order.

EQUILUX Presents NORLYS

Malaga M8
Green/Gold

Malaga M8
Black/Gold

Malaga M8
White

Malaga M8
Black/Opal

Opal lens available on request



The Latino is a smart hexagonal ceiling/wall mounted flush lantern. Ideally suited to porches and entranceways. Manufactured from die-cast aluminium with a one-piece polycarbonate lens. Available in all five of the colour options.

Latino LA8
White

Latino LA8
Verdi

Latino LA8
Black



Norlys

The Lugano is the smallest flush mounting lantern in the Norlys range and the most popular. With it's understated looks and excellent attention to detail this lantern will look good in any location. Available in all of the five colour options.

EQUILUX Presents NORLYS

Lugano LU8
White

Lugano LU8
Verdi

Lugano LU8
Black



All models are available in the colour options specified below



These colours are a printed representation only and may differ slightly from the product itself

Standard Collection

EQUILUX











All models in the standard collection are only available in the colours as illustrated.

Standard Collection

EQUILUX













All models in the standard collection are only available in the colours as illustrated.

Standard Collection

EQUILUX



Cambridge CAM8
Black/Gold

Cambridge CAM1
Black/Gold

Cambridge CAM1PIR
Black/Gold

Cambridge CAM3
Black/Gold







PIR Specifications

Adjustable range -	3 mtrs to 15 mtrs
Adjustable time -	20 Secs to 12 Mins
90 degree Detection angle -	Rotatable 180 Degrees
300watt switching capacity	
Manual override facility	

All models in the standard collection are only available in the colours as illustrated.

Contemporary Collection

EQUILUX

Technical Information

Approvals

All of our Contemporary fittings have undergone rigorous testing and carry the most stringent approval mark Ⓝ which signifies the Norwegian Nemko quality mark. The Nemko Ⓝ mark is recognised by BSi and BSi accepts that all UK conditions are met by this approval. The CE mark is our statement of conformity to the needs of each individual product as a worldwide recognised mark. These fittings are produced to CE standards and comply under CE89/336/CEE for EMC (Electro Magnetic Compatibility) and CE73/23/CEE for Electrical Material at Low Tension.

IP Ratings

These fittings have been built to the highest standards of weather protection and all have an independent IP rating. The higher the IP rating, the greater the protection from weather/atmospheric conditions. The majority of our Contemporary range are rated IP44 and above with many fittings at IP54 and IP65.

IP Rating Table

IP Rating	Level of Protection
IP23	Against solid objects greater than 12mm and against spraying water.
IP43	Against solid objects greater than Dia.1mm and against spraying water.
IP44	Against solid objects greater than Dia. 1mm and against splashing water.
IP54	Dust protected and against splashing water.
IP65	Dust tight and against water jets.
IP67	Dust tight and against submersion.

Compact Fluorescent Lamp (CFL) Performance

Most of this range has been produced using Compact Fluorescent Lamps (CFL's). The two distinct advantages offered by the use of CFL's are low energy consumption (only 20% on average of the same used by a regular incandescent light source for the same light output) and a lamp life of around 8 times that of an average incandescent lamp.

CFL Performance/Comparison table

CFL Wattage	Lamp Cap	Incandescent Equivalent	Luminous Flux - CFL's
7w	G23	40W	600
9W	G23	53W	750
10W	G24d1	60W	825
13W	G24d1	75W	900
18W	G24d2	100W	1200
26W	G24d3	2x75W	1800
36W	2G10	200W	2900

Specials/Non Standard Options

To meet the needs of today's demanding marketplace we can offer the following option considerations upon application:-

a) Colour - products can be produced in 3 alternative base colours, being White, Graphite and Aluminium. (Check catalogue for each range colour availability as standard). On top of these any RAL or BS colour can be specified to order.

b) Lamp Source - Some products can be converted to alternative lamp sources including Mercury, Halogen and Incandescent. Some products can also have their CFL wattage lowered or increased.

c) Bollards/Columns - Where required, Bollard heights can be raised or lowered and in some cases have Twin lamp heads incorporated. Lamppost columns can also be altered where needed and also be substituted by taller, more substantial alternatives that go up to 4 metres in height.

Where any of the above options are required please submit full details so that accurate quotations can be offered. Please bear in mind that delivery periods will be extended by many of the above options.

Contemporary Collection

EQUILUX

IP44

The Olympic Range

The Olympic range offers contemporary styling matched with high technical performance. each fitting is supplied with an 18w CFL low energy unit, opal PMMA globes and is available in black finish only.
Post fittings are available with a choice of columns.

Olympic A1 Black

Olympic B1 black (head only)
specify column seperately

Olympic cap
(mandatory adaptor if specifying column b or C)

Olympic B2 black (head only)
specify column seperately

Olympic B3 black (head only)
specify column seperately





Column B Black
48mm Ø - 70mm Ø tube
adjustable height 1250mm
min to 2100mm max
(excluding heads)

Column C Black
48mm Ø - 70mm Ø tube
includes access door
adjustable height 1250mm
min to 2100mm max
(excluding heads)

Column D Black
60mm Ø tube
height excluding head
1000mm or 2000mm

Model/Code	Light Source	IP Rating	H.	W.	Proj
Olympic A1	1x18W CFL-G24d2	IP44	360mm	300mm	340mm
Olympic B1	1x18W CFL-G24d2	IP44	360mm	300mm	-
Olympic B2	2x18W CFL-G24d2	IP44	385mm	700mm	-
Olympic B3	3x18W CFL-G24d2	IP44	385mm	680mm	-

Contemporary Collection

EQUILUX

IP44

The Strasbourg Range

With it's contemporary looks matched with versatility the Strasbourg is a competent and professional product offered in either a basic version using E27 100w or a more high specification using 2x18W CFL low energy units. these fittings are available in black or white finish and use self-extinguishing polycarbonate lenses. Post fittings are available with a choice of columns.

Strasbourg A1 Black

Strasbourg B2 White (heads only)
Specify columns separately.

Strasbourg B1 Black (head only)
Specify columns separately.





Column A Black
48mm Ø tube
height excluding head 1000mm

Column B Black
48mm Ø - 70mm Ø tube
adjustable height 1250mm
min to 2100mm max
(excluding heads)

Column C Black
48mm Ø - 70mm Ø tube
includes access door
adjustable height 1250mm
min to 2100mm max
(excluding heads)

Model/Code	Light Source	IP Rating	H.	W.	Proj
Strasbourg A1	2x18W CFL-G24d2	IP44	420mm	300mm	480mm
Strasbourg A1/27	1x100W E27	IP44	420mm	300mm	480mm
Strasbourg B1	2x18W CFL-G24d2	IP44	420mm	450mm	-
Strasbourg B1/27	1x100W E27	IP44	420mm	450mm	-
Strasbourg B2	4x18W CFL-G24d2	IP44	420mm	910mm	-
Strasbourg B2/27	2x100W E27	IP44	420mm	910mm	-

Contemporary Collection

The Rouen Range

EQUILUX

IP65

The Rouen offers professional performance with style and adaptability expected from a specification level exterior spotlight. Available in wall, groundspike and bollard mounted versions the Rouen is supplied with tempered glass and in black finish.

Rouen A1 shown on groundspike

Rouen A1shown on groundspike.





Rouen A1 shown on 60mm Ø column.

Rouen groundspike

Rouen A1 wall mounted.

Model/Code	Light Source	IP Rating	H.	W.	Proj
Rouen A1	1x100W E27	IP65	210mm	140mm	260mm

The Stockholm Range

IP44

The Stockholm achieves the blend of classical lines with contemporary appearance and is supplied with a self extinguishing opal polycarbonate lens. available in black or white finish.



Stockholm A1 black

Stockholm A1 white

Model/Code	Light Source	IP Rating	H.	W.	Proj
Stockholm A1	1x100W E27	IP44	380mm	235mm	145mm

Contemporary Collection

The Zurich Range

EQUILUX

IP54

The Zurich is a product of exceptional performance and quality and is fitted with 2x13w CFL low energy lamps. Supplied with a tempered sandblasted glass these fittings are offered in Black, White or Chrome finishes. (Bollard not available in chrome).



Zurich B1/1000 Black

Zurich Al White



Zurich Al White

Zurich Al Chrome



Zurich Al Black





Model/Code	Light Source	IP Rating	H.	W.	Proj
Zurich A1	2x13W CFL-G24d1	IP54	170mm	275mm	170mm
Zurich B1/1000	2x13W CFL-G24d1	IP54	1000mm	300mm	250mm

The Marrakesh Range

IP65

With it's unique appearance and clever design, the Marrakesh offers the opportunity of being specified in a variety of installations from offices and urban buildings through to comtemporary domestic properties. Supplied with an 18w CFL low energy unit and self extinguishing polycarbonate lens this range is available in black finish only as standard.



Marrakesh Bl/1000 Black



Marrakesh Al Black

Marrakesh Al Black





Model/Code	Light Source	IP Rating	H.	W.	Proj
Marakesh A1	1x18W CFL-G24d2	IP65	250mm	250mm	125mm
Marakesh B1/1000	1x18W CFL-G24d2	IP65	1000mm	250mm	150mm

Contemporary Collection

EQUILUX

IP54

The Roma Range

An extremely versatile yet attractive fitting, giving 4 mounting options from the same model. Available in black or white finish and offering high performance from the 2x13w low energy units. The Roma is fitted with tempered, sandblasted glass, and suitable for wall or ceiling installation.

Roma AI Black Mounting option 1



Roma AI Black Mounting option 2





Roma A1 black mounting option 3/4

Model/Code	Light Source	IP Rating	H.	W.	Proj
Roma A1	2x13W CFL G24d1	IP54	260mm	260mm	85mm

IP54

The Budapest Range

A functional yet attractive wall or ceiling bulkhead fitting, offering high performance from the 2 x 13w low energy units. Includes in the range a 1 metre bollard and are all available in black or white finishes (also chrome on A1 version) with tempered, sandblasted glass and suitable for wall or ceiling applications.



Budapest BI/1000



Budapest AI Chrome

Budapest AI Black

Budapest AI White





Model/Code	Light Source	IP Rating	H.	W.	Proj
Budapest A1	2x13W CFL G24d1	IP54	230mm	230mm	62mm
Budapest B1/1000	2x13W CFL G24d1	IP54	1000mm	300mm	142mm

Contemporary Collection

EQUILUX

IP54

The Lisbon Range

Designed to be functional, yet offering style and performance, the Lisbon series will fit within a wide variety of applications and offers good performance of light output through the 2x9w CFL low energy units. The fittings are supplied with self extinguishing Polycarbonate lenses and are available in Black or White finish except Lisbon A3 which is also available in a chrome plated finish.

Lisbon A1 Black



Lisbon A2 Black

Lisbon A3 Black





Lisbon A1 Black

Lisbon A2 Black

Lisbon A3 Black

Lisbon A3 Chrome

Model/Code	Light Source	IP Rating	H.	W.	Proj
Lisbon A1	2x9W CFL-G23	IP54	260mm	150mm	110mm
Lisbon A2	2x9W CFL-G23	IP54	150mm	260mm	110mm
Lisbon A3	2x9W CFL-G23	IP54	260mm	150mm	110mm

IP65

The Atlanta Range

Angular, contemporary styling matched with compact dimensions ensures this fitting will suit a wide variety of applications. Fitted with a self- extinguishing Polycarbonate lens and available in Black finish only as standard.

Atlanta A1 Black



Atlanta BI/500



Atlanta AI Black



Model/Code	Light Source	IP Rating	H.	W.	Proj
Atlanta A1	1x13W CFL-G24d1	IP65	215mm	215mm	100mm
Atlanta B1/500	1x13W CFL-G24d1	IP65	500mm	300mm	180mm

Contemporary Collection

The Odense Range

EQUILUX

IP65

Odense is the most compact fitting within the range designed to fulfil the need of small size with contemporary looks. Available in a choice of 2 light sources and colours with each fitting supplied with an opal self extinguishing polycarbonate lens.

Odense A1 Black

Odense A1 Black



Odense A1 White

Odense A1 Black

Model/Code	Light Source	IP Rating	H.	W.	Proj
Odense A1	1x7W CFL-G23	IP65	115mm	190mm	110mm
Odense A1/14	1x60W E-14	IP65	115mm	190mm	110mm

Contemporary Collection

The Madrid Range

EQUILUX

IP54

The madrid is a unique, versatile and compact fitting designed to be mounted in 3 ways; 2 wall and 1 recessed wall. Offering good light performance for such a small fitting each unit is fitted with an 18w CFL low energy unit and is supplied with tempered sandblasted glass. Available in black only.



Madrid B1/1000 Black

Madrid A1 Black

Madrid A2 Black

Madrid wall box - mandatory if recessing fitting.

Madrid A1 Black



Madrid A2 Black







Madrid wall box

The Venezia Range

IP44

The Venezia is a distictive yet modern exterior bulkhead downlight. Aided by it's conical reflector this unit offers good lumen performance provided by the 18W CFL low energy light source. Available in black only and supplied with a toughened clear glass lens.

Venezia A1 Black

Venezia A1 Black





Model/Code	Light Source	IP Rating	H.	W.	Proj
Venezia A1	1x18W CFL-G24d2	IP44	230mm	130mm	-

The Athens Range

The Athens shares the blend of contemporary with almost gothic yet there is nothing traditional in the performance of this fitting. Available in black or white finishes, this model is fitted with an 18w CFL low energy light source and also benefits from a tempered sandblasted glass.

Athens A1 Black

Athens A1 White





Model/Code	Light Source	IP Rating	H.	W.	Proj
Athens A1	1x18W CFL-G24d2	IP54	220mm	160mm	180mm

Contemporary Collection

The Nice Range

EQUILUX

IP43/IP44

The Nice series offers a wall and Bollard fitting range which portray simple elegance with contemporary styling. Available in Black or white finish these fittings offer good light performance through their 18w CFL low energy units and are supplied with self-extinguishing Polycarbonate lenses.

Nice B1/1130 White

Nice AI Black

Nice B1/1130 Black and White





Model/Code	Light Source	IP Rating	H.	W.	Proj
Nice AI	1x18W CFL-G24d2	IP43	330mm	130mm	200mm
Nice B1/1130	1x18W CFL-G24d2	IP44	1130mm	130mm	-

The Antwerp Range

IP43/IP44

Antwerp AI Black



Antwerp B1/1130 Black and White

For the more modern installation the Antwerp will be ideal, offering a blend of exceptional lighting performance matched with it's striking design. Fitted with 26w CFL low energy units this range is available in Black or White finish and is supplied with a PMMA lens.

Model/Code	Light Source	IP Rating	H.	W.	Proj
Antwerp A1	1x26W CFL-G24d3	IP43	330mm	130mm	200mm
Antwerp B1/1130	1x26W CFL-G24d3	IP44	1130mm	130mm	-



Antwerp BI/1130 Black





Contemporary Collection

The Malmo Range

EQUILUX

IP65

The Malmo series is arguably the most comprehensive on offer within our range, varying from 170mm to 380mm in diameter size, from E14 60w incandescent to 36w CFL low energy and from wall to ceiling to Bollard. Exceptional specification, attractive, clinical looks and high performance light output will ensure this range will meet the most demanding requirements. Fully available in black finish, together with 2 models available in our distinctive chrome finish these fittings are supplied with self-extinguishing Polycarbonate lenses.



Malmo A1 Chrome



Malmo A2 Chrome



Malmo A1 Black

Malmo A2 Black

Malmo A3 Black



Malmo A4 Black

Malmo A4 Black





Malmo B4/1000 Black

Model/Code	Light Source	IP Rating	H.	W.	Proj
Malmo A1	1x10W CFL-G24d1	IP65	170mm	170mm	80mm
Malmo A1/14	1x60W E-14	IP65	170mm	170mm	80mm
Malmo A2	2x13W CFL-G24d1	IP65	270mm	270mm	110mm
Malmo A3	1x36W CFL-2G10	IP65	380mm	380mm	120mm
Malmo A4	2x13W CFL-G24d1	IP65	270mm	270mm	120mm
Malmo B4/1000	2x13W CFL-G24d1	IP65	1000mm	270mm	145mm

Contemporary Collection

Petra Recessed, Petra Surface

EQUILUX

IP67

The Petra range offers a unique way of using light from above or below ground level. Available with a selection of accessories and lamp options, this range of in-ground and surface fittings are manufactured using either highest quality die-cast aluminium or stainless steel for optimum durability and aesthetics.

● GROUND VERSION, OUTSIDE AND FLOOR

AVAILABLE COLOURS

WK BK AN AL GR





EQUILUX

FOR WALKING ON STATIC LOAD Kg. 1500	FOR CAR LANE	FOR CAR LANE
 22 cm.	 22 cm.	22 cm.
FLAT GLASS	PRINTED GLASS	PRINTED GLASS
 17,2 cm. 1 cm.	 17,2 cm. 4,2 cm.	 17,2 cm. 4,2 cm.



CODE	CODE	CODE	LAMP HOLDER	LAMP OPTIONS	PACK m^3	WEIGHT Kg.
PE - 1101	PE - 2201	PE - 3201	E27	INC 1x100W FLU 1x15W PL	0,0242	2,620
PE - 1105	PE - 2205	PE - 3205	G24d1	FLC 1x10W - 13W	0,0242	2,920
PE - 117T	PE - 227T	PE - 327T	G24d2	FLC 1x18W DULUX-T	0,0242	2,920
PE - 11Q35	PE - 22Q35	PE - 32Q35	G12	HQI-T 1x35W	0,0242	4,500

NYLON RING AND WELL FOR "FLOOR" VERSION

CODE OCS

DIRECTIONAL GRID

CODE	GDR



ALUMINIUM CASTING POST FOR "OUTSIDE" VERSION

CODE FFN



LIGHT SCREEN GRID Excluded 35W (PE...)

CODE	GFR





NYLON RING AND WELL - TO BE PUT INTO THE GROUND



EXTERNAL STRUCTURE IN ALUMINIUM CASTING - FOR FLOOR

PETRA FLOOR



Contemporary Collection
Pier

EQUILUX
IP65

The 'Pier' is an optically controlled metal halide floodlight offering exceptional performance and control from the precise reflector and either 70 or 150 Watt metal halide lamp source. Available as standard in Black only.

- LIGHTING APPARATUS IN PAINTED ALUMINIUM
- SPECULAR REFLECTOR IN ALUMINIUM PLATE
- DIFFUSOR IN TEMPERED GLASS











AVAILABLE IN BK

SYMMETRIC	ASYMMETRIC	CIRCULAR				
CODE	CODE	CODE	LAMP HOLDER	LAMP OPTIONS	PACK m^3	WEIGHT Kg.
PIS - 19	PIA - 19	PIC - 19	Rx7s	HQI 1x150W	6,100	0,0141
PIS - 29	PIA - 29	PIC - 29	Rx7s	HQI 1x70W	6,100	0,0141

Stainless Steel
Moderna

EQUILUX
IP43

The Moderna range offers a thoroughly modern design with the ultimate in exterior lantern construction. Manufactured in stainless steel and supplied with a one-piece Opal polycarbonate lens. These lanterns will look quite simply stunning well into the new millennium.